

Scan the code and watch how to fit your Harness Driving Bridle with our short video on YouTube.



Bridle fitting.

When fitting a bridle for the first time, assemble the bridle loosely and attach a bit. The very first step is to adjust the height of the blinkers via the buckle at the top of the cheek, so that the eyes sit centrally in the blinkers, where the blinker is the most shaped, to give space to the eyes.

Secondly, adjust the height of the bit via the buckle at the bottom of the cheek, so the bit sits correctly in the corner of the lip. Then the winker stays can be shaped and adjusted to suit the conformation of the head. Form them into shape so the blinkers maintain the required clearance over the eyes whilst looking neat and tidy. The winker stays normally sit underneath the browband, and the length is adjustable via the small buckle at the top of the headpiece.

Thereafter, buckle up the noseband and throatlash. The noseband should be tight enough to prevent the cheeks from bulging outwards when there is contact on the bit via the reins, but comfortable enough to allow the horse to flex the jaw to facilitate swallowing and salivation. Two fingers clearance is a good guide. The flash noseband, if used, can be fitted with the same rules.

The throatlash should be tighter than on a riding bridle because it is vitally important that the bridle cannot be accidentally pulled off over the ears. But it must also allow the horse room to swallow and flex the jaw even when there is flexion at the poll. If in doubt, push the nose inwards to check that the throatlash does not restrict the throat during poll flexion.

Check the browband particularly just behind the ears. Driving horses need to be able to swivel their ears comfortably in order to hear verbal instructions from the driver behind them. Therefore the browband should not cramp the ears or restrict them in any way. Horses with a wide forehead, or those with thick forelocks sometimes need a browband one size up to allow extra room.

BRIDLES COMPLETE

Standard Bridle Complete

Supplied with Classic, Elite and ZGB harness. All bridle parts are interchangeable between Cob, Full and Extra Full sizes. Pony size has finer straps, which can be interchanged with SL parts.

Pony	444084
Cob	432316
Full	432320
Extra Full	432322



Brun Bridle Complete

Supplied with Brun harness. Bridle parts are interchangeable between Cob and Full sizes. Pony bridles have thinner straps for a finer look.

 Pony
 430102

 Cob
 430104

 Full
 430106





Pony Blinkers

SL Plus Bridle Complete

Supplied with SL Plus harness. Cob and Full Size bridles feature moulded blinkers. The Pony size features more delicately proportioned blinkers and thinner strapping for a finer appearance on small pony heads.

Pony	483104
Cob	483106
Full	483108



SL Bridle Complete

The SL Shetland bridle has special design features to suit shetland and small pony heads. Extra length browband and independent throatlash. Slotted noseband.

 Mini
 449304

 Shetland
 448304

 Small Pony
 447304







WebZ

Bridle Complete

Supplied with WebZ harness. This bridle is made from purpose woven two ply polypropylene webbing, and is lined on the nose, brow and poll with soft easy care PVC padding.

Pony	490104
Cob	490106
Full	490108
Extra Full	490109



Tedex

Bridle Complete Supplied with Tedex harness. Made from stitched, double-layer poly web. It features a padded headpiece,

lined with anti-gall

PVC material.				
Shetland	460101			
Pony	460201			
Cob	460301			
Full	460401			
Extra Full	460501			

Deluxe SL Bridle Complete

Independent hanging noseband. Wire winker stays. Decorative rosettes. Padded headpiece. Available with traditional plain blinkers and elegantly proportioned, patent finish blinkers.

	A Plain	B Patent
	Blinkers	Blinkers
Mini	444080	-
Shetland	444082	444272
Small Pony	-	444273
Pony	-	444274



SL Open Bridle Complete

The SL Shetland bridle has special design features to suit shetland and small pony heads. Supplied without Blinkers.

Shetland 448314



BLINKERS & CHEEKS



Patent Blinkers

Rolled, wire-filled stays may be shaped for a customised view. Patent blinkers with 19mm (3/4") straps are compatible with cob and full Zilco bridles.

	Length Min.	Length Max.	Cheek Width	
Shetland	20cm (7 3/4")	24cm (9")	13mm (1/2")	444282
Pony	24cm (9")	31cm (12")	13mm (1/2")	444284
Cob	27cm (11")	35cm (14")	19mm (3/4")	431536
Full	30cm (12")	38cm (15")	19mm (3/4")	431538



Standard Blinkers

Mini and Shetland available as an optional upgrade to SL harness sets. Pony - Extra Full supplied with Classic, Elite and ZGB harness. Rolled wire-filled stays can be shaped for a customised view. Pony and Large Pony size are proportioned to suit smaller heads.

le to SL harness ra Full supplied with d ZGB harness. Rolled s can be shaped for iew. Pony and Large roportioned to suit			
Length Min.	Length Max.	Cheek Width	
19cm (7 1/2")	21cm (8")	13mm (1/2")	444135
20cm (7 3/4")	24cm (9")	13mm (1/2")	444137
2/1 cm (0")	21 cm (12")	12mm (1/2")	1//120

Mini	19cm (7 1/2")	21cm (8")	13mm (1/2")	444135
Shetland	20cm (7 3/4")	24cm (9")	13mm (1/2")	444137
Pony	24cm (9")	31cm (12")	13mm (1/2")	444139
Large Pony	27cm (11")	35cm (14")	19mm (3/4")	431415
Cob	27cm (11")	35cm (14")	19mm (3/4")	431417
Full	30cm (12")	38cm (15")	19mm (3/4")	431421
Extra Full	34cm (13")	42cm (17")	19mm (3/4")	431426



Ground View Plus Blinkers

Cut away lower edge for better visibility downwards and forwards, to negotiate uneven ground and obstacles. Particularly suited for Team & Tandem Wheelers.

	Length Min.	Length Max.	Cheek Width	
Pony	24cm (9")	31cm (12")	13mm (1/2")	444159
Cob	27cm (11")	35cm (14")	19mm (3/4")	431517
Full	30cm (12")	38cm (15")	19mm (3/4")	431521
X Full	34cm (13")	42cm (17")	19mm (3/4")	431526

Brun Blinkers

Supplied as standard with all Brun harness sets. The wire-filled stays can be shaped to achieve a customised view - wide visibility, or narrow.

	Length Min.	Length Max.	Cheek Width	
Pony	24cm (9")	31cm (12")	13mm (1/2")	430412
Cob	27cm (11")	35cm (14")	19mm (3/4")	430417
Full	30cm (12")	38cm (15")	19mm (3/4")	430421



BLINKERS & CHEEKS



WebZ Blinkers

Made from purpose woven two ply polypropylene webbing, and is supplied as standard with all WebZ harness sets. The wire-filled stays can be shaped to achieve a customised view.

	Length Min.	Length Max.	Cheek Width	
Pony	22cm (8 5/8")	30cm (12")	19mm (3/4")	490124
Cob	27cm (10 1/2")	34cm (13")	19mm (3/4")	490126
Full	29cm (11 1/2")	37cm (14 1/2")	19mm (3/4")	490128
Extra Full	31cm (12")	40cm (16")	19mm (3/4")	490129



Dolly Varden Blinkers

Partially cut away give better visibility downwards and forwards. Allows wider peripheral vision, while restricting rear vision.

	Length Min.	Length Max.	Cheek Width	
Pony	24cm (9")	31cm (12")	13mm (1/2")	444149
Cob	27cm (11")	35cm (14")	19mm (3/4")	431435
Full	30cm (12")	38cm (15")	19mm (3/4")	431436

Adjustable Winker Stay

Tedex Blinkers

Made from stitched, double-layer woven poly-web and supplied with all Tedex harness sets. Keeper on winker stays can be adjusted to achieve a customised view.

	Length Min.	Length Max.	Cheek Width	
Shetland	22cm (8 5/8")	25cm (9 3/4")	19mm (3/4")	460103
Pony	23cm (9")	29cm (11 1/2")	19mm (3/4")	460203
Cob	28cm (11")	36cm (14 1/4")	19mm (3/4")	460303
Full	32cm (12 1/2")	40cm (15 3/4")	19mm (3/4")	460403

Open Cheek Straps

For driving bridles without blinkers. Permits full vision for the horse.

Warning: Open cheeks should only be used on horses that have been specifically trained to work in an open bridle. It is dangerous to use them on a horse that has always been trained in full blinkers.

Max. Cheek Width
12") 13mm (1/2") 444045
14") 19mm (3/4") 431306
15") 19mm (3/4") <mark>431308</mark>



Blinker Dimensions Width measurement does not include cheek strap. A Length **B** Width

	Standard Blinkers		
	Α	В	
Mini	9.5cm (3 3/4")	8.5cm (3 1/3")	
Shetland	11.5cm (4 1/2")	11.5cm (4 1/2	
Pony	12cm (4 3/4")	11.5cm (4 1/2	
Large Pony	12cm (4 3/4")	11.5cm (4 1/2	
Cob	15cm (6")	13cm (5 1/4")	
Full	15cm (6")	13cm (5 1/4")	
Extra Full	15cm (6")	13cm (5 1/4")	



HEADPIECES



Standard Bridle Headpiece

Supplied as standard in all Classic, Elite and ZGB Harness bridles.

	Length Min.	Length Max.	Cheeks	
Cob	33cm (13")	56cm (22")	19mm (3/4")	444056
Full	38cm (15")	61cm (24")	19mm (3/4")	444058
Extra Full	51cm (20")	74cm (29")	19mm (3/4")	444060



Fine Bridle Headpiece

Supplied in Classic Pony & SL Deluxe Bridles.

	Length Min.	Length Max.	Cheeks	
Mini	23cm (9")	46cm (18")	13mm (1/2")	444290
Shetland	28cm (11")	51cm (20")	13mm (1/2")	444292
Pony	27cm (10 1/2")	51cm (20")	13mm (1/2")	444294





Brun Bridle Headpiece

Supplied as standard in Brun Harness sets.

	Length Min.	Length Max.	Cheeks	
Pony	28cm (11")	51cm (20")	13mm (1/2")	430012
Cob	33cm (13")	56cm (22")	19mm (3/4")	430016
Full	38cm (15")	61cm (24")	19mm (3/4")	430020



WebZ Bridle Headpiece

Supplied as standard in the WebZ Harness sets.

	Length Min.	Length Max.	Cheeks	
Pony	28cm (11")	48.5cm (19")	19mm (3/4")	490114
Cob	33cm (13")	53.5cm (21")	19mm (3/4")	490116
Full	37cm (14 1/2")	57cm (22 1/2")	19mm (3/4")	490118
Extra Full	46cm (18")	71cm (28")	19mm (3/4")	490119

Tedex Bridle Headpiece

Supplied as standard in the Tedex Harness sets.

	Length Min.	Length Max.	Cheeks	
Shetland	23.5cm (9 1/4")	39cm (15 1/2")	19mm (3/4")	460102
Pony	31cm (12 1/4")	47cm (18 1/2")	19mm (3/4")	460202
Cob	32cm (12 1/2")	52cm (20 1/2")	19mm (3/4")	460302
Full	35cm (13 3/4")	55cm (21 1/2")	19mm (3/4")	460402
Extra Full	41cm (16 1/4")	58cm (22 3/4")	19mm (3/4")	460502





Silver Clincher Browband

Fine Browband

Mini

Pony

Shetland

Embedded with attractive stainless steel clinchers, is available as an option in all Classic, Elite and ZGB Harness Sets.

	Length	Width	
Shetland	37cm (14 1/2")	19mm (3/4")	432130
Small Pony	39cm (15 1/2")	19mm (3/4")	432131
Pony	41cm (16")	19mm (3/4")	432132
Cob	43cm (17")	19mm (3/4")	432134
Full	45cm (17 1/2")	19mm (3/4")	432136
Extra Full	51cm (20")	19mm (3/4")	432138



Standard Browband

Supplied as standard with all Classic, Elite and ZGB Harness sets.

	Length	Width	
Cob	43cm (17")	19mm (3/4")	432110
Full	45cm (17 1/2")	19mm (3/4")	432111
Extra Full	51cm (20")	19mm (3/4")	432112



Brun Browband

Supplied as standard in Brun Harness sets.

	Length	Width	
Pony	37cm (14 1/2")	13mm (1/2")	430052
Cob	43cm (17")	19mm (3/4")	430054
Full	45cm (17 1/2")	19mm (3/4")	430056



Based on Classic browband, with more elegant proportions.

Width

13mm (1/2")

13mm (1/2")

13mm (1/2")

13mm (1/2") 444033

444030

444032

444031

Suited to ponies with more delicately shaped heads.

Length

35cm (13 3/4")

37cm (14 1/2")

41cm (16")

Small Pony 39cm (15 1/2")

Webz Browband


Supplied as standard with WebZ Harness Sets.

	Length	Width		
Pony	39cm (15 1/2")	25mm (1")	490134	
Cob	43cm (17")	32mm (1 1/4")	490136	
Full	45cm (17 3/4")	32mm (1 1/4")	490138	
Extra Full	53cm (21")	32mm (1 1/4")	490139	

Tedex Browband

Supplied as standard with Tedex Harness Sets.

	Length	Width	
Shetland	36cm (14")	19mm (3/4")	460104
Pony	38cm (15")	19mm (3/4")	460204
Cob	42cm (16 1/2")	19mm (3/4")	460304
Full	45cm (17 3/4")	19mm (3/4")	460404
Extra Full	48cm (19")	19mm (3/4")	460504







N O S E B A N D S

Standard Noseband

Cavesson noseband with double buckle adjustments and chin pad. Padded under the lower jaw and over the bridge of the nose. Supplied as standard in all Classic, Elite and ZGB Harness bridles. Width size does not including padding.



	Length Min.	Length Max.	Width	
Cob	53cm (21")	71cm (28")	19mm (3/4")	431412
Full	61cm (24")	78cm (31")	19mm (3/4")	431418
Extra Full	68cm (26 3/4")	87cm (34 1/4")	19mm (3/4")	431419



Fine Noseband

Cavesson noseband that threads through the cheek strap loops on the inside of the bridle cheeks. Width size does not including padding.

	Length Min.	Length Max.	Width	
Mini	41cm (16")	54cm (21 1/4")	13mm (1/2")	444103
Shetland	48cm (19")	63cm (25")	13mm (1/2")	444105
Pony	48cm (19")	63cm (25")	13mm (1/2")	444108

Tedex Noseband

Cavesson noseband with single buckle attachment. Designed with loops for the bridle cheek straps. Supplied as standard in Tedex Harness sets. Width size does not including padding.



	Length Min.	Length Max.	Width	
Shetland	49cm (19 1/4")	58cm (22 3/4")	19mm (3/4")	460106
Pony	51cm (20")	61cm (24")	19mm (3/4")	460206
Cob	55cm (21 1/2")	66cm (26")	19mm (3/4")	460306
Full	61cm (24")	73cm (28 3/4")	19mm (3/4")	460406
Extra Full	65cm (25 1/2")	77cm (30 1/4")	19mm (3/4")	460506



Hanger Straps			A COLORADOR AND	and the
Suspends the noseband		Length	Cheeks	
behind the bridle cheek. Allows noseband	Shetland	23cm (9")	13mm (1/2")	431445
and cheeks to move	Pony	28cm (11")	13mm (1/2")	431446
independently of	Cob	33cm (13")	19mm (3/4")	431447
each other, enabling unrestricted bit	Full	36cm (14")	19mm (3/4")	431448
movement.	Extra Full	39cm (15")	19mm (3/4")	431449

Brun Noseband

Cavesson noseband with double buckle adjustments and chin pad. Padded under the lower jaw and over the bridge of the nose. Supplied as standard in Brun Harness sets. Width size does not including padding.

	Length Min.	Le
Pony	48cm (19")	6
Cob	53cm (21")	7
Full	61cm (24")	7



Length Max.	Width	
63cm (25")	13mm (1/2")	430032
71cm (28")	19mm (3/4")	430034
78cm (31")	19mm (3/4")	430036

WebZ Noseband

Cavesson noseband, fitted via loops through which the bridle cheeks are threaded. Supplied as standard in WebZ Harness sets. Width size does not including padding.

	Length Min.	Length Max.	Width	
Pony	55cm (22")	63cm (25")	16mm (5/8")	490154
Cob	60cm (24")	68cm (27")	19mm (3/4")	490156
Full	68cm (27")	78cm (30")	19mm (3/4")	490158
Extra Full	70cm (27 1/2")	82cm (32")	19mm (3/4")	490159



Crank on back

Euro-Style Noseband

Crank style noseband with 19mm width (not including padding) and 19mm cheek straps. Can be fitted with Flash Converter and Strap. Full size only. 431488





GEL-Lite Noseband Relief Pad

Synthetic leather padded with Gel-lite impact absorption material. Touch tape straps attach to the noseband to dissipate pressure points. 150mm x 45mm 197199



THROATLASH & FLASH STRAPS

		Length	Width	
Standard Throatlash	Cob	50cm (19 1/2")	19mm (3/4")	432186
Supplied as standard with Classic, Elite and ZGB	Full	55cm (21 1/2")	19mm (3/4")	432188
harness sets.	Extra Full	65cm (25 1/2")	19mm (3/4")	432190

		Length	Width	
Brun Throatlash Supplied as standard with Brun harness sets.	Pony Cob Full	44cm (17 1/2") 50cm (19 1/2") 55cm (21 1/2")	19mm (3/4")	430064



		Length	Width
Fine Throatlash	Mini	38cm (15")	13mm (1/2")
Supplied with Pony Classic	Shetland	43cm (17")	13mm (1/2")
and SL Deluxe bridle.	Pony	44cm (17 1/2")	13mm (1/2")

		Length	Width	
	Pony	44cm (17 1/2")	19mm (3/4")	490144
WebZ Throatlash Supplied as standard with WebZ harness sets.	Cob Full Extra Full	49cm (19 1/2") 53cm (21") 63cm (25")	19mm (3/4") 19mm (3/4") 19mm (3/4")	490146 490148 490149
Webz namess sets.				









444061 444063 444065

Flash Converter & Strap

Converts a regular cavesson noseband into a Hanoverian style noseband.

	Length	
Shetland	60cm (24")	431401
Pony	66cm (26")	431402
Cob	68cm (27")	431406
Full	71cm (28")	431408
Extra Full	75cm (30")	431410



Converts a regular cavesson noseband into a Hanoverian style noseband. Designed for Brun harness.

Length			
Pony	66cm (26")	430042	
Cob	68cm (27")	430044	
Full	71cm (28")	430046	

Driving Bit Lifter

Can help prevent the horse getting its tongue above the bit by suspending it higher in the mouth without the need to use a tight flash noseband (which may cause resistance). For team or tandem leaders, who are required to work up into the bit contact, the bit lifter can lighten the contact, enabling light-mouthed horses to have more confidence to work into the contact.

Small (Pony)	431392
Large (Cob/Full Size)	431398





GEL-Lite Bridle Relief Pad

Synthetic leather padded with Gel-lite impact absorption material. Touch tape straps attach to the bridle head or noseband to dissipate pressure points. 200mm (7 7/8") \times 45mm (1 3/4").

197200



Gullet Safety Strap

Attaches to underside of noseband and the throatlash. Prevents bridle from being pulled or rubbed off, particularly in multiples. Dee ring on noseband end to attach lead.

	Length Min.	Length Max.	Width	
Pony	16cm (6 1/3")	20cm (7 3/4")	13mm (1/2")	444070
Cob/Full	18cm (7")	22cm (9")	16mm (5/8")	432180

Patent Face Drop

B

Plain Bridle Rosette

Large has a flatter, wider face.

A Small

B Large

Stainless steel, Small is slightly rounded,

Diametre

34mm (1 1/3") 523180

42mm (1 2/3") 523190

For an attractive face decoration in the show ring or dressage arena. Keeper is slid onto the poll strap of the winker stay. Soft wire core allows for adjustability.

	Length	Width	
A Pony	20cm (8")	5cm (2")	444304
B Cob/Full	24cm (9 1/2")	6cm (2 1/2")	44430

A





Zilco Bridle Rosette

Stainless steel, elegantly styled with etched filigree pattern and subtle Zilco logo.

Diametre			
Small	40mm (1 1/2")	446841	
Medium	47mm (1 4/5")	446842	
Large	54mm (1 1/8")	446843	



